POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS				
Tatal 2002 Daniel ati an 50 050	Community Ontions and MA Weiger	Per				
Total 2003 Population 50,050	Community Options and MA Waiver as HSRS reports costs for services	Staffing - FTE Number Populatio				
Population per square mile 44	as fishs reports costs for services	Total staff 12.8 2.5 Administrative 2.5 0.5 Public health nurses 4.0 0.8 Other prof. staff 3.3 0.6 Technical/Paraprof. 2.3 0.4 Support staff 1.0 0.2				
County ranking in state (1-72) 39	Clients Costs COP 10 \$306,799 MA Waiver *	Administrative 2.5 0.5				
ocanity ranking in class (i 'z) c/	COP 10 \$306, 799	Public health nurses 4.0 0.8				
Age Female Male Total	MA Wai ver *	Other prof. staff 3.3 0.6				
0–14 4, 240 4, 580 8, 820	CI P1A 11 \$570, 782 CI P1B 76 \$1, 308, 204 CI P2 81 \$984, 293 COP-W 101 \$1, 194, 090 CSLA 0 \$0 Brain Injury 4 \$170, 286 Total COP/Wvrs 283 \$4, 227, 655	Techni cal /Paraprof. 2.3 0.4				
15-19 2, 200 2, 670 4, 870	CI P1B 76 \$1, 308, 204	Support staff 1.0 0.2				
20-24 2, 080 3, 230 5, 320	CI P2 81 \$984, 293					
25-29 1, 160 1, 380 2, 530 30, 34 1, 170 1, 350 3, 410	COP-W 101 \$1, 194, 090	Fundi ng Per capi ta Total \$1, 110, 959 \$22. 11 Local Taxes \$458, 097 \$9. 12				
30-34 1, 170 1, 250 2, 410 35-39 1, 460 1, 470 2, 930	CSLA	10tdl				
40-44 1, 830 1, 810 3, 640	Total COP/Wyrs 283 \$4 227 655	LOCAL TAXES \$430,077 \$7.12				
45-54 3, 410 3, 510 6, 920	10 ται σοι 7 πντ 3 203 φ+, 227, 000	LI CENSED ESTABLI SHMENTS				
55-64 2, 450 2, 420 4, 870	\$237, 263 of the above wai ver costs					
65-74 1, 970 1, 790 3, 760	were paid as local match/overmatch	Type Capacity Facilities				
75-84 1, 660 1, 080 2, 740	using COP funds. This amount is	Bed & Breakfast 65 17				
85+ 900 330 1, 230	not included in above COP costs.	Camps				
Total 24, 520 25, 530 50, 050	* Waiver eacts reported here	HOTELS, MOTELS 536 24				
Age Female Male Total	* Wai ver costs reported here include federal funding.	Type Capacity Facilities Bed & Breakfast 65 17 Camps 816 15 Hotels, Motels 536 24 Tourist Rooming 30 13 Pools 14				
0-17 5, 520 6, 190 11, 710	Theraue reaerar randing.	Restaurants 277				
18-44 8, 620 10, 200 18, 810	Clients Costs	Vending 6				
	Eligible and Waiting 58 n/a					
65+ 4, 530 3, 200 7, 730	│ Waiting 58 n/a					
Total 24, 520 25, 530 50, 050						
December Festimentes Gene 2000	(Family Care not provided in county)	WIC PARTICIPANTS				
Poverty Estimates for 2000		Numbor				
Estimate (C.I.+/-)	Note: Eligible and waiting clients	Number Pregnant/Postpartum 503				
11 2% (4%)	will be phased into the COP and MA	nfanta				
Ages 0-17 1.512 88	Wai vers as available.	Children, age 1-4				
All ages 5,567 220 11.2% (4%) Ages 0-17 1,512 88 12.9% (6%)	mai voi e de d'ai i abi ei	Children, age 1-4 766 Total 1,784				
EMPLOYMENT		CANCER INCIDENCE (2002)				
Average wage for jobs covered	Home Heal th Agencies 2	Primary Site				
by unemployment compensation \$24,665	Patrents nou	Breast 15				
(place of work) Annual	Patients per 10,000 pop. 132	Cervi cal 1 Col orectal 15				
Labor Force Estimates Average	Nursing Homes 9	Lung and Bronchus 23				
-	Licensed heds 639	Prostate 20				
Civilian Labor Force 28,932	Occupancy rate 90.2%	Other sites 87				
Number employed 27,469	Residents on Dec. 31 572	Total 161				
Civilian Labor Force 28,932 Number employed 27,469 Number unemployed 1,463 Unemployment rate 5.1%	Residents age 65 or older					
Unemployment rate 5.1%	per 1,000 population 72	Note: Totals shown are for				
		i nvasi ve cancers onl y.				

PAGE 2

Second of four pages

		. – – – – – – –	NATA	AIIIY				
TOTAL LIVE BIRTHS		584	Birth Order	Bi rths	Percent	Marital Status		
			First	223	38	of Mother	Bi rths	Percent
Crude Live Birth Rate 11.7		Second	191	33	Marri ed	435	74	
General Fertility Rate 59.1		Thi rd	93	16	Not married		26	
one at the time ty mate		Fourth or higher	77	13	Unknown	Ó	0	
Live births with reported congenital anomalies 8 1.4%		Unknown	Ó	0	or national	· ·	Ü	
congenital anomalies	n tou	8 1.4%	O' II CI IOWI I	J	Ü	Educati on		
congenital anomarres 0 1.4%					of Mother	Bi rths	Percent	
Delivery Type	Delivery Type Births Percent		1st Prenatal Visit	Ri rths	Percent	Elementary or le		6
Vaginal after	טוו נווס	i ei ceiit	1st trimester	467	80	Some high school		7
nrovious cosaroan	7	1	2nd trimester	91	16	High school	166	28
Vagi nal after previ ous cesarean Forceps	2	<. 5	3rd trimester	10	3	Some college	194	33
Other vaginal	437 71	75	No visits	17	1	College graduate	e 148	25
Primary cesarean	43 <i>1</i>	/3 12	Unknown	5 2	<. 5	Unknown	e 146 0	0
	67	11	UTIKTIOWIT	2	۷. ن	UTIKTIOWIT	U	U
Repeat cesarean	07	1.1	Dropotal Vicita	Dirtho	Doroont	Smoking Status		
Di ethwoi aht	Dirtho	Doroont	Prenatal Visits	Births 5	Percent	Smoking Status of Mother	Dirtho	Percent
Bi rthwei ght	DITUIS	Percent	No visits	34	1		Bi rths	
<1,500 gm	4	0.7	1-4		6	Smoker	80	14
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	23	3. 9	5-9	132	23	Nonsmoker		86
2, 500+ gm	557	95. 4	10-12	248	42	Unknown	0	0
Unknown	U	0	13+	163	28			
			Unknown	2	<. 5			
			Low Birthweight		Trimoct	ter of First Prenata		
			(under 2 500 cm)	1ct Tr	imostor	2nd Trimostor		Unknown
Paco /Ethni ci ty	Dirths D	Porcont	(under 2.500 am)	1st Tr	imester	2nd Trimester	Other/	'Unknown
Race/Ethni ci ty	Births P	Percent	(under 2.500 am)	1st Tr Births	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White	570	98	(under 2,500 gm) Births Percent 25 4.4	Bi rths 457	imester	2nd Trimester Births Percent 88 15	Other/ Bi rths 25	
White	570	98	(under 2,500 gm) Births Percent 25 4.4 *	Bi rths 457 *	imester Percent 80	2nd Trimester Births Percent	Other/ Bi rths	Percent
White	570	98	(under 2,500 gm) Births Percent 25 4.4	Bi rths 457 * 5	imester Percent 80 100	2nd Trimester Births Percent 88 15 * .	Other/ Bi rths 25 *	Percent 4
White	570	98	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0	Bi rths 457 * 5 2	imester Percent 80	2nd Trimester Births Percent 88 15 * . 2 40	Other/ Bi rths 25	Percent
White	570	98	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0	Bi rths 457 * 5 2	imester Percent 80 100	2nd Trimester Births Percent 88 15 * . 2 40	Other/ Bi rths 25 *	Percent 4
Race/Ethni ci ty Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	570	98	(under 2,500 gm) Births Percent 25 4.4 *	Bi rths 457 * 5	imester Percent 80 100	2nd Trimester Births Percent 88 15 * .	Other/ Bi rths 25 *	Percent 4
White	570	98	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0	Bi rths 457 * 5 2	i mester Percent 80 100 40	2nd Trimester Births Percent 88 15	0ther/ Bi rths 25 * 1	Percent 4
White	570 1 5 5 0 3	98 <. 5 1 1 0 1	(under 2,500 gm) Births Percent 25 4.4 * . 1 20.0	Bi rths 457 * 5 2	i mester Percent 80 100 40 Tri mest	2nd Trimester Births Percent 88 15	0ther/ Births 25 * 1 *	Percent 4 20
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	570 1 5 5 0 3	98 <.5 1 0 1 	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0 * Low Birthweight (under 2,500 gm)	Bi rths 457 * 5 2 1st Tr	i mester Percent 80 . 100 40 . Tri mest	2nd Trimester Births Percent 88 15	0ther/ Births 25 * 1 * al Visit Other/	Percent 4 20
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother	570 1 5 5 0 3 Fe Bi rths	98 <. 5 1 1 0 1	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0 * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 457 * 5 2 1st Tr	i mester Percent 80 100 40 Tri mest	2nd Trimester Births Percent 88 15	0ther/ Births 25 * 1 * al Visit Other/	Percent 4 20
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	570 1 5 0 3 Fe Bi rths	98 <.5 1 0 1 	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0 * Low Birthweight (under 2,500 gm)	Bi rths 457 * 5 2 * 1st Tr Bi rths	i mester Percent 80 . 100 40 . Tri mest i mester Percent	2nd Trimester Births Percent 88 15	Other/ Births 25 * 1 * al Visit Other/ Births	Percent 4 . 20
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	570 1 5 0 3 Fe Bi rths 0 16	98 <.5 1 0 1 	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0 * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 457 * 5 2 * 1st Tr Bi rths	i mester Percent 80 . 100 40 . Tri mest i mester Percent . 63	2nd Trimester Births Percent 88 15 * . 2 40 . ter of First Prenate 2nd Trimester Births Percent 5 31	Other/ Births 25 * 1 al Visit Other/ Births	Percent 4 . 20
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown Age of Mother <15 15-17 18-19	570 1 5 0 3 Fe Bi rths 0 16 39	98 <.5 1 0 1 	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0 * Low Birthweight (under 2,500 gm) Births Percent 2 5.1	Bi rths 457 * 5 2 * 1st Tr Bi rths 10 28	i mester Percent 80 . 100 40 Tri mest i mester Percent . 63 72	2nd Trimester Births Percent 88 15	Other/ Births 25 * 1 al Visit Other/ Births 1	Percent 4 . 20
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	570 1 5 0 3 Fe Bi rths 0 16 39 139	98 <.5 1 0 1 	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0 * Low Birthweight (under 2,500 gm) Births Percent 2 5.1 4 2.9	Bi rths 457 * 5 2 * 1st Tr Bi rths 10 28 112	i mester Percent 80 . 100 40 Tri mest i mester Percent . 63 72 81	2nd Trimester Births Percent 88 15	Other/ Births 25 * 1 al Visit Other/ Births 1 3	Percent 4 . 20
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	570 1 5 0 3 Fe Bi rths 0 16 39 139 176	98 <.5 1 0 1 	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0 Low Birthweight (under 2,500 gm) Births Percent 2 5.1 4 2.9 5 2.8	Bi rths 457 * 5 2 * 1st Tr Bi rths 10 28 112 147	i mester Percent 80 . 100 40 Tri mest i mester Percent . 63 72 81 84	2nd Trimester Births Percent 88 15 * 2 40 * ter of First Prenate 2nd Trimester Births Percent 5 31 8 21 25 18 21 12	Other/ Births 25 * 1 al Visit Other/ Births 1 3 2 8	Percent 4 . 20
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	570 1 5 0 3 Fe Bi rths 0 16 39 139 176 156	98 <.5 1 0 1 ertility Rate 13 42 67 152 134	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0 * Low Birthweight (under 2,500 gm) Births Percent 2 5.1 4 2.9 5 2.8 12 7.7	Bi rths 457 * 5 2 * 1st Tr Bi rths 10 28 112 147 133	i mester Percent 80 . 100 40 Tri mest i mester Percent . 63 72 81 84 85	2nd Trimester Births Percent 88 15 * 2 40 ter of First Prenate 2nd Trimester Births Percent 5 31 8 21 25 18 21 12 19 12	Other/Births 25 * . 1 . * al Visit Other/Births . 1 3 2 8 4	Percent 4 20
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	570 1 5 0 3 Bi rths 0 16 39 139 176 156 49	98 <.5 1 0 1 ertility Rate 13 42 67 152 134 34	(under 2,500 gm) Births Percent 25	Bi rths 457 * 5 2 * 1st Tr Bi rths 10 28 112 147 133 33	i mester Percent 80 . 100 40 Tri mest i mester Percent . 63 72 81 84 85 67	2nd Trimester Births Percent 88 15 * 2 40 2 40 ter of First Prenate 2nd Trimester Births Percent 5 31 8 21 25 18 21 12 19 12 11 22	Other/Births 25 * . 1 . * al Visit Other/Births . 1 3 2 8 4 5	Percent 4 . 20
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	570 1 5 0 3 Fe Bi rths 0 16 39 139 176 156 49 9	98 <.5 1 0 1 crtility Rate 13 42 67 152 134 34 5	(under 2,500 gm) Births Percent 25 4.4 * 1 20.0 * Low Birthweight (under 2,500 gm) Births Percent 2 5.1 4 2.9 5 2.8 12 7.7	Bi rths 457 * 5 2 * 1st Tr Bi rths 10 28 112 147 133	i mester Percent 80 . 100 40 . Tri mest i mester Percent . 63 72 81 84 85 67 44	2nd Tri mester Bi rths Percent 88 15 * 2 40 * ter of First Prenate 2nd Tri mester Bi rths Percent 5 31 8 21 25 18 21 12 19 12 11 22 2 22	Other/Births 25 * . 1 . * al Visit Other/Births . 1 3 2 8 4	Percent 4 20
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	570 1 5 0 3 Bi rths 0 16 39 139 176 156 49	98 <.5 1 0 1 ertility Rate 13 42 67 152 134 34	(under 2,500 gm) Births Percent 25	Bi rths 457 * 5 2 * 1st Tr Bi rths 10 28 112 147 133 33	i mester Percent 80 . 100 40 Tri mest i mester Percent . 63 72 81 84 85 67	2nd Trimester Births Percent 88 15 * 2 40 2 40 ter of First Prenate 2nd Trimester Births Percent 5 31 8 21 25 18 21 12 19 12 11 22	Other/Births 25 * . 1 . * al Visit Other/Births . 1 3 2 8 4 5	Percent 4 . 20

MORBI DI TY			MO	RTALLTY	
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	except in postneor fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 live are per 1,000 live birth culated for fewer than 20	Infant, e births. s plus
Di sease Number Campyl obacter Enteritis 17 Gi ardi asis 6 Hepatitis Type A 0 Hepatitis Type B** <5 Hepatitis NANB/C 8 Legi onnaire's 0 Lyme <5 Measl es 0 Meningitis, Aseptic <5 Meningitis, Bacterial 0 Mumps 0 Pertussis 5 Sal monel losis 7 Shi gel losis 0	TOTAL DEATHS	Deaths	Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart disease Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Dis.	98 196 116 232 34 68 14 . 7 .* e 41 82 24 48 18 . 19 . 14 .
 Tuberculosis 0 * 2003 provisional data. ** Includes all positive HBsAg test results. Sexually Transmitted Disease 	Infant Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 4 3 1	Rate	* Based on female popu ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS	4 . I ati on. AS UNDERLYING SE OF DEATH
Chlamydia Trachomatis 74 Genital Herpes 9 Gonorrhea <5 Syphilis 0	Race of Mother White BI ack Hispanic Laotian/Hmong Other/Unknown	4		Other Drugs Both Mentioned * Includes tobacco use MOTOR VEHICL Note: These data are both	(see page 7). E CRASHES
Children in Grades K-12 by Compliance Level Compliant 9,602 Non-compliant 21 Percent Compliant 99.8	Bi rthwei ght <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Peri natal Mortal i ty Total Peri natal Neonatal Fetal	Deaths	Rate	of crash, not of crash, not of crash, not of crash. Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	Persons Persons Injured Killed 450 16 72 8

					. 2003 HOSP	ITALIZATIONS					
 		Per	Average		Charge	İ		Per	Average		Charge
DI SEASE /		1, 000	Stay	Average	Per	DI SEASE /		1, 000	Stay		Per
AGE GROUP	Number	Pop	(Days)	Charge	Capi ta	DI SEASE / AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
		•		J	·			•		J	•
I nj ury-Rel ated:	: All					Al cohol -Rel ated					
Trij ur y-ker ated Total <18 18-44 45-64 65+	292	5.8		\$17, 049	\$99	Total	91		2. 6	\$4, 398	\$8
<18	35	3. 0	2. 2	\$8, 517	\$25	18-44	53	2. 8	2. 4	\$3, 866	\$11
18-44	78	4. 1		\$16, 130	\$67	45-64	22	1. 9	2. 7	\$5, 071	\$9
45-64	64	5. 4		\$26, 471	\$144	Pneumonia and I					
65+	_ 115	14. 9	4. 3	\$15, 026	\$223	Total	184	3. 7	3. 6	\$9, 014	\$33
INJURY: HIP I	Fracture					<18	29 29	2. 5	1. 9	\$4, 089	\$10
Total	41	0.8		\$13, 532	\$11	TJ-UT	۷,	2. 5		\$10, 823	\$27
65+	. 38	4. 9	4. 2	\$13, 283	\$65	65+	113	14. 6	4. 1	\$10, 011	\$146
Injury: Poiso	oni ngs					Cerebrovascul ar					
Total	31	0. 6	2. 2	\$7, 391	\$5	Total	103	2. 1	4. 2	\$14, 151	\$29
18-44	16		•	•	•	45-64	14				445.
						65+	88	11.4		\$13, 525	\$154
Ps <u>y</u> chi atri c	000			*	***	Chronic Obstruc	tive Pulm	onary L)ı sease	* (050	**
Total	283	5. 7	4. 9	\$6, 691	\$38	Total <18 18-44 45-64	66	1. 3		\$6, 059	\$8
<18	53	4. 5	4. 4	\$5, 740	\$26	< 18	7	•		•	
18-44	138	7. 3	4. 3	\$5,602	\$41	18-44	5			•	
45-64	52	4. 4	5. 1	\$6, 912	\$30	45-64 65+ Drug-Rel ated	12	٠. ،	٠. ٥	φ. 7 .0	φο 7
65+	40	5. 2	7. 6	\$11, 423	\$59	Down Doloted	42	5. 4	3. 0	\$6, 760	\$37
Company Hoomt	D: 00000					Drug-kei ated	10				
Coronary Heart Total	252	5. 0	2.0	\$17, 191	\$87	Total 18-44	12 8	•	•	•	•
45-64	60	5. 0	2.9	\$17, 191 \$22, 184	\$113	10-44	0	•	•	•	•
65+	172	22. 2		\$22, 104 \$16, 301	\$113 \$362	Total Hospitali:	zati onc				
05+	1/2	22. 2	3. I	\$10, 301	Φ302	Total	4, 324	86. 4	2 /	\$10, 118	\$874
 Malignant Neop	Lacme (Ca	ncore).	ΛΙΙ			Total <18 18-44 45-64 65+	705	60. 2	2. 9	φ10, 110 ¢5 701	\$343
Total	143	2. 9	AII	\$21, 412	\$61	19 44	1, 094	58. 2	2. 8	\$5, 701 \$7, 342	\$427
10tai 18_11	143		5. 5	ΦΖΙ, 4ΙΖ	φОΙ	15-44	763	64. 7	2. 0 4. 0	\$14, 084	\$911
15-44	12 17	4. O	6.3	\$26, 429	\$105	45-04 65±	1, 762	227 B	3 g	\$11, 891	\$2,708
18-44 45-64 65+	77 79	10. 2	5.3	\$17, 653	\$180	651	1, 702	227.0	3. 0	Ψ11, 071	Ψ2, 700
Neoplasms: Fo	emale Bre	ast (ra	ates for	female no	nulation)	PR	FVFNTARI F	HOSPI T	AL 1 7ATI (ONS*	
Total	11			·		Total	646	12. 9	3. 0	\$7, 530	\$97
Neoplasms: Co	ol o-recta		•	•	•	<18	66	5.6	1. 8	\$4, 471	\$25
Total	27		7. 6	\$22, 852	\$12	18-44	70	3. 7		\$6, 614	\$25
65+	25	3. 2	7. 6	\$22, 599	\$73	<18 18-44 45-64	111	9. 4		\$9, 304	\$88
Neoplasms: Li				.==,	Ŧ · •	65+	399	51. 6	3. 2	\$7, 704	\$397
Total	15							- · · · J		÷ · , · · · ·	T
Di abetes						* Hospitalizations	for cond	itions	where t	imely and	effecti ve
Total	57	1. 1	4. 2	\$12, 419	\$14	ambulatory care ca	n reduce	the lik	cel i hood	of hospi	tal i zati on. 🛚
65+	25	3. 2	5. 2	\$14, 256	\$46					•	